

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1770238	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:04
S2	586	((offline or off?line) near3 search\$3)and @ad<"20090901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 15:28
S3	498	S2 and (cach\$3 or stor\$3 or sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:38
S4	225	S3 and (query or queries or querying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 14:10
S5	379	((offline or off?line) near3 search\$3)and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 15:29
S6	0	S5 and "707".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 15:29
S7	76	S5 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 16:18
S8	2	"20030046311" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:02

EAST Search History

S9	2	"20030055828" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or off?line or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:26
S10	1	"20030014399" and off?line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S11	0	"20020103806" and off?line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:18
S12	2	"20020103806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S13	1	"20020103806" and offline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:19
S14	2	"20020065800" and (stor\$3 or cach\$3 or sav\$3 or query or result\$1 or off?line or match\$3 or offline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:33
S15	2016	(previous\$2 near3 quer\$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/20 17:34
S16	56	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:40

EAST Search History

S17	1	"20040001104" and list\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:06
S18	2	"20040001104" and (time\$1 or threshold or pre?set or preset or period\$1 or updat\$3 or timely or periodically or regular\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:10
S19	2	"20030046311" and (time\$1 or threshold or pre?set or preset or period\$1 or updat\$3 or timely or periodically or regular\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 10:13
S20	1	"20030101286" and (compar\$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:42
S21	56	((previous\$2 near3 quer\$3) near5 entered) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:42
S22	16	S21 and (compar\$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:01
S23	2	"20030046311" and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 11:57
S24	1	"7082428".pn. and (compar\$3 with (query or queries or querying))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:09

EAST Search History

S25	0	"20030046311" and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:13
S26	7305	(expir\$5 near5 (data or information)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:10
S27	4273	(expir\$5 near5 data) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:11
S28	287	S27 and "707"/.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:11
S29	351	(determin\$3 near5 (expir\$5 near5 data)) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:12
S30	31	S29 and "707"/.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:12
S31	1	"20060010150" and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29
S32	0	"20060010150" and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 12:29

EAST Search History

S33	1	"20060010150" and user\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:13
S34	2677	(determin\$3 with (off?line or offline)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S35	131	S34 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S36	11	S35 and ((off?line or offline) with accessible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/21 14:15
S37	4	"814069".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:55
S38	2	"20040001104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S39	5376	"20040001104"and ((previously with quer\$3) and (result\$1 or set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:56
S40	1	"20040001104" and ((previously with quer\$3) and (result\$1 or set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36

EAST Search History

S41	1	"20040001104" and determin\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:36
S42	2247	(determin\$4 with (search near5 result\$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:39
S43	1567	(determin\$4 near6 (search near5 result\$1)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:40
S44	33	(determin\$4 with (search near5 result\$1) with (previous\$2 or before or last) with (enter\$3 or receiv\$3 or obtain\$3 or execut\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:44
S45	988	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter\$3 or receiv\$3 or obtain\$3 or execut\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:45
S46	838	(determin\$4 with (search\$3 or query\$3) with (previous\$2 or before or last) with (enter\$3 or receiv\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:45
S47	463	(determin\$4 near6 (search\$3 or query\$3) with (previous\$2 or before or last) with (enter\$3 or receiv\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:45
S48	463	((determin\$4 near6 (search\$3 or query\$3)) with (previous\$2 or before or last) with (enter\$3 or receiv\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:45

EAST Search History

S49	260	((determin\$4 near6 (search\$3 or query\$3)) near6 (previous\$2 or before or last) with (enter\$3 or receiv\$3 or obtain\$3)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:46
S50	294	((determin\$4 near6 (search\$3 or query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:47
S51	109	((determin\$4 near6 (query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and @ad<"20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:50
S52	2	"20030191828" and ((determin\$4 near6 (query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:54
S53	4940956	"2003" 0220913and ((determin\$4 near6 (query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S54	0	"20030220913" and ((determin\$4 near6 (query\$3)) near6 (enter\$3 or receiv\$3 or obtain\$3) with (previous\$2 or before or last)) and (portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 13:11
S55	2	"20030220913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:55
S56	2	"20030220913" and (determin\$4 or query\$3 or enter\$3 or receiv\$3 or obtain\$3 or previous\$2 or before or last or portion\$1 or results\$1 or valid or correct or right)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:41

EAST Search History

S57	2	"20030220913" and (document\$1 or article\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49
S58	1	"20030220913" and expand\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 12:49